



CATALOG 2023 V1.0

The all new GREENTRAC product family with premium outlook and performance, offers the right products for all kinds of weather conditions and road surfaces.

Each pattern design is at the forefront of performance, practicality, and fashion. Provide extraordinary value for users in the global market.

QINGDAO NEW KETER TYRE CO., LTD

ADD: A-2502, Darron Center, No.180 Haier Road, Qingdao, China, 266100

Tel: 86-532-55579147 Fax: 86-532-55579145

E-mail: info@keter tyre.com Web: www.greentractyre.com

  @Keter Tyre



GREENTRAC

Running the Road Together



ABOUT GREENTRAC

In Europe the weather conditions can change rapidly from dry road to soaking wet and even to snow and ice. The all new GREENTRAC product family with premium outlook and performance, offers the right products for all kind of weather conditions and road surfaces.

Our new summer UHP product GREENTRAC Quest-X offers an extraordinary A-level wet grip performance for safe driving at highspeed. The GREENTRAC Season Master all-season tyre for cars and vans represents an excellent combination of driving safety and efficiency in all seasons. For 4x4 off-road operations in the toughest conditions, we have developed our brand new Greentrac Rough Master with aggressive pattern design.

The Greentrac tyre family including HP, UHP, All-Season, Winter, R/T; Racing and now TBR categories, will reach a total of 500 different sizes.

NEW 2022. We are proudly present new Greentrac TBR Tyres Made in Thailand, with high level of dependability, cost-effectiveness and safety on different road and weather conditions.





UNIQUE DESIGN



ULTIMATE PERFORMANCE



NEW 2022. We are proudly present new Greentrac TBR Tyres Made in Thailand, with high level of dependability, cost-effectiveness and safety on different road and weather conditions.





GLOBAL TECH SUPPORT

GLOBAL ENGINEERING TEAM

We have a GLOBAL ENGINEERING TEAM with German "gene", to create our own patterns and optimize formula.

PCR TEAM

TBR TEAM

OTR & AG TEAM

13 PASSENGER &
LIGHT TRUCK
Patterns

9 COMMERCIAL
TRUCK
Patterns

450⁺ SIZES

INDEPENDENT DESIGN
BY GREENTRAC

ALL SERIES are Independently
Developed by Greentrac



CONTENTS

Summer Tyre ☀

Passenger

Suv & 4x4

Special



Journey-X

01



Rough Master-RT

07



Superange-Van

11



Quest-X

03



Rough Master X/T

09



Superange-X

13



Quest-X SUV

05

Winter & 4S Tyre ❄

All Season Tyre

Winter Tyre



Season Master

17



Winter Master D1

15



Winter Master S2 LT

22



Season Master Van

19



Winter Master S1

21




Winter Master S2 SUV

23

Electric Vehicle 🔋

EV



Neosport EV

14

JOURNEY-X

HP

ROLLING RESISTANCE


WET GRIP PERFORMANCE

QUIETNESS

COMFORT


TREAD LIFE

HP



ASYMMETRIC PATTERN DESIGN

Bionic asymmetric pattern design brings grip and controls



BLOCK PATTERN DESIGN

Strong block pattern design improves wear resistance meanwhile it ensures the stability of the car control and driving safety.



LONG TREAD LIFE

Special formulated compound with enhanced shoulder construction ensures even wear and long last tread life.



FORMULATIONS CONTAINING SILICON

Silicon-based formula offers excellent fuel-efficient ability while providing excellent wet performance

JOURNEY-X

SIZES & SPECIFICATION

	SIZE	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D		EU LABELING		
				(mm/32nds)	ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL
13	155/65R13	73 T	4.50B	6.7 / 8.4	D	C	70	B
13	155/70R13	79/XL T	4.50B	6.7 / 8.4	D	C	70	B
13	155/80R13	79 T	4.50B	6.7 / 8.4	D	C	70	B
13	165/65R13	77 H	5.00B	6.7 / 8.4	C	C	70	B
13	165/70R13	79 H	5.00B	6.7 / 8.4	C	C	70	B
13	175/60R13	77 H	5J	6.7 / 8.4	D	C	70	B
13	175/70R13	82 H	5.00B	6.7 / 8.4	C	C	70	B
13	185/70R13	86 H	5.50B	6.7 / 8.4	C	C	70	B
14	155/65R14	75 T	4.5J	6.7 / 8.4	D	C	70	B
14	165/60R14	75 H	5J	6.7 / 8.4	C	C	70	B
14	165/65R14	79 H	5.00B	6.7 / 8.4	C	C	70	B
14	165/70R14	81 H	5J	6.7 / 8.4	C	C	70	B
14	175/65R14	86/XL H	5J	6.7 / 8.4	C	C	70	B
14	175/70R14	88/XL H	5.5J	6.7 / 8.4	C	C	70	B
14	185/55R14	80 H	6J	6.7 / 8.4	D	C	70	B
14	185/60R14	82 H	5.5J	6.7 / 8.4	C	C	70	B
14	185/65R14	86 H	5.5J	6.7 / 8.4	C	C	70	B
14	185/70R14	88 H	5.5J	6.7 / 8.4	C	C	70	B
14	195/60R14	86 H	6J	6.9 / 8.7	C	C	71	B
14	195/70R14	91 H	6J	6.9 / 8.7	C	C	71	B
14	205/70R14	98/XL H	6J	6.7 / 8.4	C	C	71	B
15	165/65R15	81 H	5J	6.7 / 8.4	C	C	70	B
15	175/60R15	81 H	5J	6.7 / 8.4	C	C	70	B
15	175/65R15	88/XL H	5J	6.7 / 8.4	C	C	70	B
15	185/55R15	86/XL V	6J	6.9 / 8.7	C	C	70	B
15	185/60R15	88/XL H	5.5J	6.9 / 8.7	C	C	70	B
15	185/65R15	92/XL H	5.5J	6.9 / 8.7	C	C	70	B
15	195/50R15	82 V	6J	6.9 / 8.7	C	C	71	B
15	195/55R15	85 V	6J	6.9 / 8.7	C	C	71	B
15	195/60R15	88 V	6J	6.9 / 8.7	C	C	71	B

	SIZE	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D		EU LABELING		
				(mm/32nds)	ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL
15	195/65R15	91 V	6J	6.9 / 8.7	C	C	71	B
15	205/60R15	91 V	6J	6.9 / 8.7	C	C	71	B
15	205/65R15	94 H	6J	6.9 / 8.7	C	C	71	B
15	205/70R15	96 H	6J	6.9 / 8.7	C	C	71	B
15	215/65R15	100/XLV	6.5J	6.9 / 8.7	C	C	71	B
15	215/70R15	98 H	6.5J	6.9 / 8.7	C	C	71	B
16	185/50R16	81 V	6J	6.7 / 8.4	D	C	70	B
16	185/55R16	83 V	6J	6.9 / 8.7	C	C	70	B
16	195/45R16	84/XL V	6.5J	6.9 / 8.7	C	C	71	B
16	195/50R16	88/XL V	6J	6.9 / 8.7	C	C	71	B
16	195/55ZR16	91/XLW	6J	6.9 / 8.7	C	C	71	B
16	195/60R16	89 H	6J	6.9 / 8.7	C	C	71	B
16	205/50ZR16	87 W	6.5J	6.9 / 8.7	C	C	71	B
16	205/55ZR16	91 W	6.5J	6.9 / 8.7	C	C	71	B
16	205/60R16	92 V	6J	6.9 / 8.7	C	C	71	B
16	205/65R16	95 V	6J	6.9 / 8.7	C	C	71	B
16	215/55ZR16	97/XLW	7J	6.9 / 8.7	C	C	71	B
16	215/60R16	99/XL V	6.5J	6.9 / 8.7	C	C	71	B
16	215/65R16	98 H	6.5J	6.9 / 8.7	C	C	71	B
16	225/55ZR16	99/XLW	7J	6.9 / 8.7	C	C	71	B
16	225/60R16	98 H	6.5J	6.9 / 8.7	C	C	71	B
17	205/40ZR17	84/XLW	7.5J	6.9 / 8.7	C	C	71	B
17	205/45ZR17	88/XLW	7J	6.9 / 8.7	C	C	71	B
17	215/40ZR17	87/XLW	7.5J	6.9 / 8.7	D	C	71	B
17	215/45ZR17	91/XLW	7J	6.9 / 8.7	C	C	71	B
17	215/50ZR17	95/XLW	7J	6.9 / 8.7	C	C	71	B
17	225/45ZR17	94/XLW	7.5J	6.9 / 8.7	C	C	71	B
17	235/45ZR17	97/XLW	8J	6.9 / 8.7	C	C	71	B
18	235/40ZR18	97/XLW	8.5J	6.9 / 8.7	C	C	71	B

QUEST-X

UHP/SUV

ROLLING RESISTANCE

WET GRIP PERFORMANCE

QUIETNESS

COMFORT

TREAD LIFE

UHP



QUEST-X
SIZES & SPECIFICATION

	SIZE	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D		EU LABELING			
				(mm/32nds)		ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL
17	205/50ZR17	93/XL Y	6.5J	7.4 / 9.3		C	A	70	B
17	215/55ZR17	94 W	7J	7.6 / 9.6		C	A	70	B
17	215/55ZR17	98/XL W	7J	7.6 / 9.6		C	A	70	B
17	225/50ZR17	98/XL Y	7J	7.6 / 9.6		C	A	70	B
17	225/55ZR17	97 W	7J	7.6 / 9.6		C	A	70	B
17	245/45ZR17	99/XL Y	8J	7.4 / 9.3		C	A	70	B
18	215/50ZR18	96XL Y	7J	7.2 / 9.1		C	A	70	B
18	215/55ZR18	99/XL W	7J	7.6 / 9.6		C	A	70	B
18	225/40ZR18	92/XL Y	8J	7.4 / 9.3		C	A	70	B
18	225/45ZR18	95/XL Y	7.5J	7.6 / 9.6		C	A	70	B
18	225/55ZR18	98 W	7J	7.6 / 9.6		C	A	70	B
18	235/45ZR18	98/XL Y	8J	7.4 / 9.3		C	A	70	B
18	235/50ZR18	101/XL Y	7.5J	7.6 / 9.6		C	A	70	B
18	235/55ZR18	104/XL W	7.5J	7.6 / 9.6		C	A	70	B
18	245/40ZR18	97/XL Y	8.5J	7.4 / 9.3		C	A	70	B
18	245/45ZR18	100/XL Y	8J	7.4 / 9.3		C	A	70	B
18	245/50ZR18	104/XL Y	7.5J	7.6 / 9.6		C	A	70	B
18	255/45ZR18	103/XL Y	8.5J	7.4 / 9.3		C	A	71	B
18	255/35ZR18	94/XL Y	8J	7.2 / 9.1		C	A	71	B
18	265/35ZR18	97/XL Y	9.5J	7.2 / 9.1		C	A	71	B
18	275/40ZR18	103XL Y	9.5J	7.2 / 9.1		C	A	71	B
18	285/35ZR18	101/XL Y	10J	7.2 / 9.1		C	A	73	B
19	225/35ZR19	88/XL Y	8J	7.4 / 9.3		C	A	70	B
19	225/40ZR19	93/XL Y	8J	7.4 / 9.3		C	A	70	B
19	225/45ZR19	96/XL Y	7.5J	7.4 / 9.3		C	A	70	B
19	235/35ZR19	91/XL Y	8.5J	7.2 / 9.1		C	A	70	B
19	235/40ZR19	96/XL Y	8.5J	7.4 / 9.3		C	A	70	B
19	235/50ZR19	103/XL Y	7.5J	7.6 / 9.6		C	A	70	B
19	235/55ZR19	105/XL W	7.5J	7.6 / 9.6		C	A	70	B
19	245/35ZR19	93/XL Y	8.5J	7.2 / 9.1		C	A	70	B
19	245/40ZR19	98/XL Y	8.5J	7.4 / 9.3		C	A	70	B
19	245/45ZR19	102/XL Y	8J	7.4 / 9.3		C	A	70	B
19	245/55ZR19	103 W	7.5J	7.6 / 9.6		C	A	70	B
19	255/30ZR19	91/XL Y	9J	7.2 / 9.1		C	A	71	B
19	255/35ZR19	96/XL Y	9J	7.2 / 9.1		C	A	71	B
19	255/40ZR19	100/XL Y	9J	7.4 / 9.3		C	A	71	B
19	255/45ZR19	104/XL Y	8.5J	7.4 / 9.3		C	A	71	B
19	255/50ZR19	107/XL Y	8J	7.6 / 9.6		C	A	71	B
19	255/55ZR19	111/XL W	8J	7.6 / 9.6		C	A	71	B
19	265/30ZR19	93/XL Y	9.5J	7.2 / 9.1		C	A	71	B
19	265/35ZR19	98/XL Y	9.5J	7.2 / 9.1		C	A	71	B
19	265/40ZR19	102XL Y	9.5J	7.2 / 9.1		C	A	71	B
19	265/50ZR19	110/XL Y	8.5J	7.6 / 9.6		C	A	71	B
19	275/30ZR19	96/XL Y	9.5J	7.2 / 9.1		C	A	71	B
19	275/35ZR19	100/XL Y	9.5J	7.2 / 9.1		C	A	71	B
19	275/40ZR19	105/XL Y	9.5J	7.4 / 9.3		C	A	71	B
19	275/55ZR19	111 W	8.5J	7.6 / 9.6		C	A	71	B
19	285/45ZR19	111XL Y	9.5J	7.4 / 9.3		C	A	73	B
19	295/30ZR19	100/XL Y	10.5J	7.2 / 9.1		C	A	73	B

	SIZE	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D		EU LABELING			
				(mm/32nds)		ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL
20	225/35ZR20	90/XL Y	8J	7.2 / 9.1		C	A	70	B
20	235/45ZR20	100/XL Y	8J	7.4 / 9.3		C	A	70	B
20	235/55ZR20	105/XL W	7.5J	7.6 / 9.6		C	A	70	B
20	245/35ZR20	95/XL Y	8.5J	7.2 / 9.1		C	A	70	B
20	245/40ZR20	99/XL Y	8.5J	7.2 / 9.1		C	A	70	B
20	245/45ZR20	99 Y	8J	7.4 / 9.3		C	A	71	B
20	245/50ZR20	102 Y	7.5J	7.6 / 9.6		C	A	71	B
20	255/40ZR20	101/XL Y	9J	7.4 / 9.3		C	A	71	B
20	255/45ZR20	105/XL Y	8.5J	7.4 / 9.3		C	A	71	B
20	255/50ZR20	109/XL Y	8J	7.6 / 9.6		C	A	71	B
20	255/55ZR20	110/XL W	8J	7.6 / 9.6		C	A	71	B
20	265/40ZR20	104/XL Y	9.5J	7.4 / 9.3		C	A	71	B
20	265/45ZR20	108/XL Y	9J	7.4 / 9.3		C	A	71	B
20	275/30ZR20	97/XL Y	9.5J	7.2 / 9.1		C	A	71	B
20	275/35ZR20	102/XL Y	9.5J	7.2 / 9.1		C	A	71	B
20	275/40ZR20	106/XL Y	9.5J	7.4 / 9.3		C	A	71	B
20	275/45ZR20	110/XL Y	9J	7.6 / 9.6		C	A	71	B
20	275/50ZR20	113/XL Y	8.5J	7.6 / 9.6		C	A	71	B
20	285/40ZR20	108/XL Y	10J	7.2 / 9.1		C	A	73	B
20	285/45ZR20	112/XL Y	9.5J	7.4 / 9.3		C	A	73	B
20	285/50ZR20	116/XL W	9J	7.6 / 9.6		C	A	73	B
20	295/35ZR20	105/XL Y	10.5J	7.2 / 9.1		C	A	73	B
20	295/40ZR20	110/XL Y	10.5J	7.2 / 9.1		C	A	73	B
20	315/35ZR20	110/XL Y	11J	7.2 / 9.1		C	A	73	B
21	265/40ZR21	105/XL Y	9.5J	7.4 / 9.3		C	A	71	B
21	265/45ZR21	108/XL Y	9J	7.4 / 9.3		C	A	71	B
21	275/35ZR21	103/XL Y	9.5J	7.2 / 9.1		C	A	71	B
21	275/45ZR21	110/XL Y	9J	7.6 / 9.6		C	A	71	B
21	285/35ZR21	105/XL Y	10J	7.2 / 9.1		C	A	73	B
21	285/40ZR21	109/XL Y	10J	7.2 / 9.1		C	A	73	B
21	295/35ZR21	107/XL Y	10.5J	7.2 / 9.1		C	A	73	B
21	295/40ZR21	111/XL Y	10.5J	7.4 / 9.3		C	A	73	B
21	315/35ZR21	111XL Y	11J	7.2 / 9.1		C	A	73	B
21	315/40ZR21	115XL Y	11J	7.2 / 9.1		C	A	73	B
21	325/30ZR21	108/XL Y	11.5J	7.2 / 9.1		C	A	73	B
22	265/40ZR22	106/XL Y	9.5J	7.4 / 9.3		C	A	71	B
22	275/40ZR22	107/XL Y	9.5J	7.4 / 9.3		C	A	71	B
22	285/45ZR22	114/XL Y	9.5J	7.4 / 9.3		C	A	73	B
20	265/50ZR20 *	111 W	8.5J	7.6 / 9.6		C	A	71	B
20	255/35ZR20 *	97 Y	8J	7.2 / 9.1		C	A	71	B
21	275/50ZR21 *	113 W	8.5J	7.6 / 9.6		C	A	71	B
22	285/40ZR22 *	110 Y	10J	7.2 / 9.1		C	A	73	B
20	275/55ZR20 *	117 W	8.5J	7.6 / 9.6		C	A	71	B
20	285/30ZR20 *	99 Y	10J	7.2 / 9.1		C	A	73	B
21	255/40ZR21 *	102 Y	9J	7.4 / 9.3		C	A	71	B

*Coming soon




EXCELLENT WET GRIP-A LEVEL!

The large-groove design ensures excellent wet grip performance and more fuel saving.




ASYMMETRICAL PATTERN DESIGN

This design of outside longitudinal groove improves a lot the performance of wet grip and controllability.



LOW NOISE

5-pitch & multi-steel disc pattern design reduces the noise.



ORIGINAL FORMULA

New formula with melt polymerized styrene butadiene and silicon offers excellent wet grip and low rolling resistance.


QUEST-X SUV

HT

ROLLING RESISTANCE



WET GRIP PERFORMANCE



QUIETNESS



COMFORT



TREAD LIFE



HT




QUEST-X SUV

SIZES & SPECIFICATION


	SIZE	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D		EU LABELING			
				(mm/32nds)		ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL
16	215/70R16	100 / T	6.5J	8.5	/ 10.7	C	C	71	B
16	225/70R16	103 / T	6.5J	8.5	/ 10.7	C	C	71	B
16	235/60R16	100 / H	7J	8.5	/ 10.7	C	C	71	B
16	235/70R16	106 / H	7J	8.5	/ 10.7	C	C	71	B
16	245/70R16	107 / T	7J	8.5	/ 10.7	C	C	71	B
16	255/70R16	111 / T	7.5J	8.5	/ 10.7	C	C	72	B
16	265/70R16	112 / T	8J	8.5	/ 10.7	C	C	72	B
17	215/60R17	96 / H	6.5J	8.5	/ 10.7	C	C	71	B
17	225/60R17	99 / H	6.5J	8.5	/ 10.7	C	C	71	B
17	225/65R17	106/XL /	6.5J	8.5	/ 10.7	C	C	72	B
17	235/65R17	108/XL /	7J	8.5	/ 10.7	C	C	72	B
17	265/65R17	116/XL /	8J	8.5	/ 10.7	C	C	73	B
17	265/70R17	115 / T	8J	8.5	/ 10.7	C	C	72	B
17	285/65R17	116 / H	8.5J	9.5	/ 12.0	C	C	74	B
18	235/60R18	107/XL /	7J	8.5	/ 10.7	C	C	72	B
18	265/60R18	110 / H	8J	8.5	/ 10.7	C	C	72	B
18	285/60R18	116 / H	8.5J	9.5	/ 12.0	C	C	74	B
18	225/60R18 *	100 / H	6.5J						

*Coming soon



EXCELLENT HANDLING PERFORMANCE

The high-strength middle blocks bring excellent handling and safety performance at high speed.




MORE SAFETY AT HIGH SPEED

Tread staggered grooves structure design ensures lower noise and more comfortable journey.



STAGGERED GROOVE DESIGN

Four vertical grooves design offers super good drainage and no fear of skid.



DOUBLE-LAYER DESIGN

The double-layer design effectively enhances the strength of the carcass and significantly reduces the probability of bumps from collision.

ROUGH MASTER-RT

SIZES & SPECIFICATION

	SIZE	PR/LR	LOAD INDEX / SPEED CODE	O.T.D (mm/32nds)	EU LABELING
17	LT265/65R17	10 / E	120/117 Q 8J	11.5 / 14.5	POR
17	LT265/70R17	10 / E	121/118 Q 8J	11.5 / 14.5	POR
17	LT285/70R17	10 / E	121/118 Q 8.5J	11.5 / 14.5	POR
18	LT265/60R18	10 / E	119/116 Q 8J	11.5 / 14.5	POR
18	LT285/60R18	8 / D	118/115 Q 8.5J	11.5 / 14.5	POR
20	LT265/50R20	10 / E	115/112 Q 8.5J	11.5 / 14.5	POR
20	LT275/55R20	10 / E	120/117 Q 8.5J	11.5 / 14.5	POR
20	LT275/60R20	8 / D	119/116 Q 8J	11.5 / 14.5	POR
20	LT285/50R20	10 / E	119/116 Q 9J	11.5 / 14.5	POR
20	LT285/55R20	8 / D	117/114 Q 9J	11.5 / 14.5	POR
20	LT305/55R20	10 / E	121/118 Q 9.5J	11.5 / 14.5	POR
22	LT285/45R22	10 / E	116/113 Q 9.5J	11.5 / 14.5	POR
22	LT305/40R22	12 / F	115/112 Q 11J	11.5 / 14.5	-
22	305/45R22	- / -	118 Q 10J	10.5 / 13.2	POR
22	LT315/45R22	10 / E	116/113 Q 11J	11.5 / 14.5	POR
26	LT305/35R26	10 / E	108/104 Q 11J	11.5 / 14.5	-
17	33*12.50R17LT	10 / E	120 Q 10J	12.5 / 15.7	POR

	SIZE	PR/LR	LOAD INDEX / SPEED CODE	O.T.D (mm/32nds)	EU LABELING
18	33*12.50R18LT	10 / E	118 Q 10J	12.5 / 15.7	POR
20	33*12.50R20LT	12 / F	119 Q 10J	12.5 / 15.7	POR
20	35*12.50R20LT	10 / E	121 Q 10J	12.5 / 15.7	POR
22	33*12.50R22LT	12 / F	114 Q 10J	12.5 / 15.7	POR
22	35*12.50R22LT	12 / F	121 Q 10J	12.5 / 15.7	POR
24	33*12.50R24LT	12 / F	110 Q 10J	12.5 / 15.7	-
16	LT285/75R16 *	- -	126/123 Q 8J	11.5 / 14.5	
18	LT265/65R18 *	- -	122/119 Q 8J	11.5 / 14.5	
18	LT285/65R18 *	- -	125/122 Q 8.5J	11.5 / 14.5	
22	LT305/50R22 *	- -	119/116 Q 9.5J	11.5 / 14.5	
24	LT295/40R24 *	- -	122/119 Q 10J	11.5 / 14.5	
24	LT295/45R24 *	- -	120/117 Q 10J	11.5 / 14.5	
24	LT305/45R24 *	- -	117/114 Q 10J	11.5 / 14.5	
15	31*10.50R15LT *	- -	109 Q 8.5J	11.5 / 14.5	
17	35*12.50R17LT *	- -	121 Q 10J	12.5 / 15.7	
18	35*12.50R18LT *	- -	128 Q 10J	12.5 / 15.7	

*Coming soon

POR
(Professional Off Road)

This tyre is a special use tyre primarily used for service in severe off-road conditions. It's not included in tyre performance label grading.


ROUGH MASTER XT

XT

ROLLING RESISTANCE



WET GRIP PERFORMANCE



QUIETNESS



COMFORT



TREAD LIFE



XT




ROUGH MASTER-XT

SIZES & SPECIFICATION

	SIZE	PR/LR	LOAD INDEX / SPEED CODE		STANDARD RIM	O.T.D (mm/32nds)
15	31*10.50R15LT	6 / C	109	S	8.5J	12.7 / 16.0
15	LT215/75R15	6 / C	100/97	T	6J	12.0 / 15.1
15	235/75R15	-	109/XL	T	6.5J	10.5 / 13.2
16	LT225/75R16	10/ E	115 / 112	S	6J	12.7 / 16.0
16	245/70R16	-	113/XL	T	7J	10.5 / 13.2
16	LT245/75R16	10/ E	120 / 116	S	7J	12.7 / 16.0
16	265/70R16	-	112	T	8J	10.5 / 13.2
16	LT265/75R16	10/ E	123 / 120	S	7.5J	12.7 / 16.0
16	LT285/75R16	10/ E	126 / 123	Q	8J	12.7 / 16.0
17	LT235/80R17	10/ E	120 / 117	R	6.5J	12.7 / 16.0
17	265/65R17	-	112	T	8J	10.5 / 13.2

	SIZE	PR/LR	LOAD INDEX / SPEED CODE		STANDARD RIM	O.T.D (mm/32nds)
17	LT265/70R17	10/ E	121/118	S	8J	12.7 / 16.0
17	LT285/70R17	10/ E	121/118	S	8.5J	12.7 / 16.0
18	265/60R18	-	110	T	8J	10.5 / 13.2
18	265/65R18	-	114	T	8J	10.5 / 13.2
18	285/60R18	-	116	T	8.5J	10.5 / 13.2
18	LT285/65R18	10/ E	125/122	R	8J	12.7 / 16.0
20	265/50R20	-	111/XL	H	8.5J	10.5 / 13.2
20	275/55R20	-	117/XL	H	8.5J	10.5 / 13.2
20	275/60R20	-	115	T	8J	10.5 / 13.2
20	285/50R20	-	116/XL	H	9J	10.5 / 13.2
22	285/45R22	-	114/XL	H	9.5J	10.5 / 13.2



THE BUMPY PEAKS DESIGN

The bumpy peaks design on the shoulders removes the mud and snow rapidly. Excellent handling ability offers terrific driving performance.



OPTIMIZED CARCASS STRUCTURE

Carcass structure design based on finite element mechanics analysis gives you good drainage and grip performance while staying quiet.



UNIQUE TREAD DESIGN

Janney coupler tread design shows its own power aesthetics and creativity.



ENHANCED SIDEWALL

Extra thick hook design on the sidewall ensures your safety all the way no matter what the road condition is.

SUPERANGE-VAN

VAN


ROLLING RESISTANCE



WET GRIP PERFORMANCE



QUIETNESS



COMFORT



TREAD LIFE



VAN




ULTRA WEAR-RESISTANT

Large block pattern and closed shoulder groove design provides super wear resistance.




WIDE LONGITUDINAL GROOVE DESIGN

Vertical grooves design offers super good drainage and no fear of skid.



MORE SAFETY WITH FULL LOAD

The middle pattern block steel sheets and scattered grooves, offer stable driving performance even with max loading.



ORIGINAL FORMULA

New formula with melt polymerized styrene butadiene and silicon offers excellent wet grip and low rolling resistance.

SUPERANGE-VAN

SIZES & SPECIFICATION

	SIZE	PR/LR	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D		EU LABELING			
					(mm/32nds)		ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL
14	185R14C	8 / D	102/100 R	5.5J	8.8 / 11.1	B	B	72	B	
14	195R14C	6 / C	102/100 S	5.5J	8.8 / 11.1	C	B	72	B	
15	195R15C	8 / D	106/104 S	5.5J	8.8 / 11.1	C	B	72	B	
15	195/70R15C	8 / D	104/102 S	6J	8.8 / 11.1	C	B	72	B	
15	215/70R15C	8 / D	109/107 S	6.5J	8.8 / 11.1	C	B	72	B	
15	225/70R15C	10 / E	112/110 S	6.5J	8.8 / 11.1	C	B	72	B	
16	195/65R16C	8 / D	104/102 T	6J	8.8 / 11.1	C	B	72	B	
16	195/75R16C	8 / D	107/105 S	5.5J	8.8 / 11.1	C	B	72	B	
16	205/65R16C	8 / D	107/105 T	6J	8.8 / 11.1	C	B	72	B	
16	205/75R16C	8 / D	110/108 R	5.5J	8.8 / 11.1	C	B	72	B	
16	215/65R16C	8 / D	109/107 T	6.5J	8.8 / 11.1	C	B	72	B	
16	225/65R16C	8 / D	112/110 T	6.5J	8.8 / 11.1	C	B	72	B	
16	235/65R16C	10 / E	115/113 T	7J	8.8 / 11.1	C	B	72	B	
17	215/60R17C	8 / D	109/107 T	6.5J	8.8 / 11.1	C	B	72	B	
17	225/55R17C	8 / D	109/107 H	7J	8.8 / 11.1	C	B	72	B	
17	235/60R17C	10 / E	117/115 R	7J	8.8 / 11.1	C	B	72	B	
14	175/65R14C *		90/88 T	5J						
14	175/70R14C *		95/93 T	5J						
15	205/70R15C *		106/104 S	6J						
16	215/60R16C *		103/101T T	6.5J						
16	215/75R16C *		116/114 R	6J						
16	225/75R16C *		121/120 R	6J						

*Coming soon



	SIZE	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D	EU LABELING			
				(mm/32nds)	ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL
18	205/65R16	99/XL V	6J	7.6 / 9.6	C	C	72	B
18	215/55ZR17	98/XL W	7J	7.6 / 9.6	D	C	72	B
18	225/55ZR17	101/XL W	7J	7.6 / 9.6	D	C	72	B

UTQG:600 AA

	SIZE	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D
				(mm/32nds)
17	225/55ZR17	101/XL W	7J	-
18	225/60R18	104/XL V	6.5J	-
18	235/45ZR18	98/XL Y	8J	-
19	235/40ZR19	96/XL Y	8.5J	-
19	235/50ZR19	103/XL W	7.5J	-
19	245/40ZR19	98/XL Y	8.5J	-
19	245/45ZR19	102/XL Y	8J	-
19	245/55ZR19	107/XL W	7.5J	-
19	255/45ZR19	104/XL Y	8.5J	-

	SIZE	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D
				(mm/32nds)
19	255/55ZR19	111/XL W	8J	-
20	245/40ZR20	99/XL Y	8.5J	-
20	245/45ZR20	103/XL Y	8J	-
20	255/40ZR20	101/XL Y	9J	-
20	255/50ZR20	109/XL W	8J	-
20	275/45ZR20	110/XL Y	9J	-
21	265/45ZR21	108/XL Y	9J	-
22	265/40ZR22	106/XL Y	9.5J	-

WINTER MASTER D1

SIZES & SPECIFICATION

	SIZE	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D		EU LABELING			
				(mm/32nds)	ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL	
14	155/65R14	75 T	4.5J	7.7 / 9.7	D	C	69	B	
14	165/70R14	81 T	5J	7.7 / 9.7	D	C	69	B	
14	175/65R14	82 T	5J	7.7 / 9.7	D	C	69	B	
14	175/70R14	88/XL T	5.5J	7.7 / 9.7	D	C	69	B	
14	185/60R14	82 T	5.5J	8.1 / 10.2	D	C	69	B	
14	185/65R14	86 T	5.5J	8.1 / 10.2	D	C	69	B	
15	175/65R15	84 T	5J	7.7 / 9.7	D	C	69	B	
15	185/55R15	82 T	6J	8.1 / 10.2	D	C	69	B	
15	185/60R15	88/XL T	5.5J	8.1 / 10.2	D	C	69	B	
15	185/65R15	88 H	5.5J	8.1 / 10.2	D	C	69	B	
15	195/55R15	85 H	6J	8.1 / 10.2	D	C	70	B	
15	195/60R15	88 H	6J	8.1 / 10.2	D	C	70	B	
15	195/65R15	91 T	6J	8.1 / 10.2	D	C	70	B	
15	205/65R15	94 T	6J	8.1 / 10.2	D	C	70	B	
16	195/55R16	87 H	6J	8.1 / 10.2	C	C	70	B	
16	205/55R16	91 H	6.5J	8.1 / 10.2	C	C	70	B	
16	205/60R16	96/XL H	6J	8.1 / 10.2	C	C	70	B	
16	215/55R16	97/XL H	7J	8.1 / 10.2	C	C	70	B	
16	215/60R16	99/XL H	6.5J	8.1 / 10.2	C	C	70	B	
16	215/65R16	98 H	6.5J	8.1 / 10.2	C	C	70	B	
16	225/55R16	99/XL V	7J	8.1 / 10.2	C	C	70	B	
16	225/60R16	102/XLH	6.5J	8.1 / 10.2	C	C	70	B	
17	205/50R17	93/XL V	6.5J	8.1 / 10.2	C	C	70	B	
17	215/45R17	91/XL V	7J	8.1 / 10.2	C	C	70	B	
17	215/50R17	95/XL V	7J	8.1 / 10.2	C	C	70	B	
17	215/55R17	98/XL V	7J	8.1 / 10.2	C	C	70	B	
17	215/60R17	96 H	6.5J	8.1 / 10.2	C	C	70	B	

	SIZE	LOAD INDEX / SPEED CODE	STANDARD RIM	O.T.D		EU LABELING			
				(mm/32nds)	ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL	
17	225/45R17	91 H	7.5J	8.1 / 10.2	C	C	70	B	
17	225/45R17	94/XL V	7.5J	8.1 / 10.2	C	C	70	B	
17	225/50R17	98/XL V	7J	8.1 / 10.2	C	C	70	B	
17	225/55R17	101/XL V	7J	8.1 / 10.2	C	C	70	B	
17	225/60R17	99 H	6.5J	8.1 / 10.2	C	C	70	B	
17	225/60R17	103/XL V	6.5J	8.1 / 10.2	C	C	70	B	
17	225/65R17	102 H	6.5J	8.1 / 10.2	D	C	70	B	
17	225/65R17	106/XL H	6.5J	8.1 / 10.2	C	C	70	B	
17	235/45R17	97/XL V	8J	8.1 / 10.2	C	C	70	B	
17	235/55R17	103/XL V	7.5J	8.1 / 10.2	C	C	70	B	
17	235/60R17	102 V	7J	8.1 / 10.2	C	C	70	B	
17	235/60R17	106/XL H	7J	8.1 / 10.2	C	C	70	B	
17	235/65R17	108/XL V	7J	8.1 / 10.2	C	C	70	B	
18	225/40R18	92/XL V	8J	8.1 / 10.2	C	C	70	B	
18	225/45R18	95/XL V	7.5J	8.1 / 10.2	C	C	70	B	
18	235/40R18	95/XL V	8.5J	8.1 / 10.2	C	C	70	B	
18	235/45R18	98/XL V	8J	8.1 / 10.2	C	C	70	B	
18	235/60R18	107/XL V	7J	8.1 / 10.2	C	C	70	B	
18	245/40R18	97/XL V	8.5J	8.1 / 10.2	C	C	70	B	
18	245/45R18	100/XL V	8J	8.1 / 10.2	C	C	70	B	
18	255/55R18	109/XL V	8J	8.1 / 10.2	C	C	71	B	
19	235/55R19	105/XL V	7.5J	8.1 / 10.2	C	C	70	B	
19	245/40ZR19	98/XL W	8.5J	8.1 / 10.2	C	C	70	B	
19	255/50R19	107/XL V	8J	8.1 / 10.2	D	C	71	B	
20	275/40ZR20	106/XL W	9.5J	8.1 / 10.2	C	C	71	B	
20	275/45ZR20	110/XL W	9J	8.1 / 10.2	C	C	71	B	
21	295/35R21	107/XL V	10.5J	7.9 / 10.2	C	C	73	B	

SEASON MASTER
SIZES & SPECIFICATION

	SIZE	LOAD INDEX / SPEED CODE		STANDARD RIM	O.T.D		EU LABELING			
					(mm)(32nds)		ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL
13	175/70R13	82	T	5.00B	7.6 / 9.6		D	B	70	B
14	155/65R14	75	H	4.5J	7.6 / 9.6		D	B	70	B
14	165/60R14	79	H	5J	7.6 / 9.6		D	B	70	B
14	165/65R14	79	H	5J	7.6 / 9.6		D	B	70	B
14	165/70R14	81	T	5J	7.6 / 9.6		D	B	70	B
14	175/65R14	82	H	5J	7.6 / 9.6		D	B	70	B
14	185/55R14	80	H	6J	7.6 / 9.6		D	B	70	B
14	185/60R14	82	H	5.5J	7.6 / 9.6		D	B	70	B
14	185/65R14	86	H	5.5J	7.6 / 9.6		D	B	70	B
14	185/70R14	88	T	5.5J	7.6 / 9.6		D	B	70	B
15	175/65R15	88	H	5J	7.6 / 9.6		D	B	70	B
15	185/65R15	92XL	H	5.5J	7.6 / 9.6		D	B	70	B
15	185/55R15	82	V	6J	7.6 / 9.6		D	B	70	B
15	185/60R15	88/XL	H	5.5J	7.6 / 9.6		D	B	70	B
15	195/50ZR15	86	W	6J	7.8 / 9.8		D	B	71	B
15	195/55R15	85	V	6J	7.6 / 9.6		D	B	71	B
15	195/60R15	88	V	6J	7.6 / 9.6		D	B	71	B
15	195/65R15	95/XL	H	6J	7.6 / 9.6		D	B	71	B
15	205/65R15	94	H	6J	7.8 / 9.8		D	B	71	B
16	175/50R16	77	V	5.5J	7.8 / 9.8		C	B	70	B
16	195/55R16	91/XL	V	6J	7.6 / 9.6		C	B	71	B
16	205/45ZR16	87/XL	W	7J	7.6 / 9.6		C	B	71	B
16	205/55R16	94/XL	V	6.5J	7.6 / 9.6		C	B	71	B
16	205/60R16	96/XL	V	6J	7.8 / 9.8		C	B	71	B
16	215/55R16	97/XL	V	7J	7.8 / 9.8		C	B	71	B
16	215/60R16	99/XL	V	6.5J	7.8 / 9.8		C	B	71	B
16	215/65R16	98	H	6.5J	7.8 / 9.8		C	B	71	B
16	225/55R16	99	V	7J	7.6 / 9.6		C	B	71	B

	SIZE	LOAD INDEX / SPEED CODE		STANDARD RIM	O.T.D		EU LABELING			
					(mm)(32nds)		ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL
17	205/50ZR17	93/XL	W	6.5J	7.6 / 9.6		C	B	71	B
17	205/55R17	95/XL	V	6.5J	7.6 / 9.6		C	B	71	B
17	215/45ZR17	91/XL	W	7J	7.8 / 9.8		C	B	71	B
17	215/50ZR17	95/XL	W	7J	7.8 / 9.8		C	B	71	B
17	215/55R17	98/XL	V	7J	7.8 / 9.8		C	B	71	B
17	215/60R17	100/XL	V	6.5J	7.8 / 9.8		C	B	71	B
17	225/55R17	101/XL	V	7J	7.8 / 9.8		C	B	71	B
17	225/45ZR17	94/XL	W	7.5J	7.8 / 9.8		C	B	71	B
17	225/50ZR17	98/XL	W	7J	7.8 / 9.8		C	B	71	B
17	225/65R17	102	H	6.5J	8.8 / 11.1		C	B	71	B
17	235/45ZR17	97/XL	W	8J	7.8 / 9.8		C	B	71	B
17	235/55ZR17	103/XL	W	7.5J	7.8 / 9.8		C	B	71	B
18	225/40ZR18	92/XL	W	8J	7.8 / 9.8		C	B	71	B
18	235/60R18	107/XL	V	7J	8.8 / 11.1		C	B	71	B
19	235/55R19	105/XL	V	7.5J	8.8 / 11.1		C	B	71	B
21	295/35ZR21	107/XL	W	10.5J	7.8 / 9.8		C	B	74	B
16	195/45ZR16 *	84	W	6.5J	7.6 / 9.6		C	B	71	B
17	215/40ZR17 *	87	W	7.5J	7.6 / 9.6		C	B	71	B
17	215/65R17 *	99	H	6.5J	7.8 / 9.8		C	B	71	B
17	235/65R17 *	104	H	7J	7.8 / 9.8		C	B	71	B
18	225/45ZR18 *	95	W	7.5J	7.8 / 9.8		C	B	71	B
18	235/45ZR18 *	98	W	8J	7.8 / 9.8		C	B	71	B
18	245/45ZR18 *	100	W	8J	7.8 / 9.8		C	B	71	B
18	235/50R18 *	101	V	7.5J	7.8 / 9.8		C	B	71	B
19	225/40ZR19 *	93	W	8J	7.8 / 9.8		C	B	71	B
19	245/45ZR19 *	102	W	8J	7.8 / 9.8		C	B	71	B
20	275/60R20 *	119	V	8J	7.8 / 9.8		C	B	72	B

*Coming soon

SEASON MASTER VAN

4S-C

ROLLING RESISTANCE

WET GRIP PERFORMANCE

QUIETNESS

COMFORT

TREAD LIFE




4S-C

SEASON MASTER VAN

SIZES & SPECIFICATION

	SIZE	PR/LR	LOAD INDEX / SPEED CODE		STANDARD RIM	O.T.D	EU LABELING			
						(mm/32nds)	ROLLING RESISTANCE	WET	NOISE	NOISE LEVEL
16	195/75R16C	10 / F	110/108	R	5.5J	9.5 / 12.0	C	C	73	B
16	205/65R16C	10 / E	107/105	T	6J	9.5 / 12.0	C	C	73	B
16	215/65R16C	10 / E	109/107	T	6.5J	9.5 / 12.0	C	C	73	B
16	225/65R16C	10 / E	112/110	R	6.5J	9.5 / 12.0	C	C	73	B
16	235/65R16C	10 / F	121/119	R	7J	9.5 / 12.0	C	C	73	B
15	195/70R15C *	10 / E	104/102	T	6J	9.5 / 12.0	C	C	73	B
15	215/70R15C *	10 / E	109/107	S	6.5J	9.5 / 12.0	C	C	73	B
15	225/70R15C *	10 / E	112/110(115N)	S	6.5J	9.5 / 12.0	C	C	73	B
16	195/60R16C *	10 / E	99/97	H	6J	9.5 / 12.0	C	C	73	B
16	195/65R16C *	10 / E	104/102	T	6J	9.5 / 12.0	C	C	73	B
16	205/75R16C *	12 / F	113/111	R	5.5J	9.5 / 12.0	C	C	73	B
16	215/75R16C *	12 / F	116/114	R	6J	9.5 / 12.0	C	C	73	B
16	225/75R16C *	12 / F	121/120	R	6J	9.5 / 12.0	C	C	73	B

*Coming soon



BIG GROOVES DESIGN

The combination of three main grooves and shoulder grooves provides excellent snow drainage performance and improves dry/wet braking and traction performance




3D STEEL SHEET DESIGN

3D steel sheet design combined with large pattern blocks can greatly reduce the deformation under the full-load driving situation thereby providing longer mileage.



HIGH STRENGTH CONSTRUCT

All sizes are constructed with high strength carcass and steel belt for enhanced toughness and rugged strength.



SPECIAL SILICON FORMULA DESIGN

The special silicon formula design ensures the performance in four seasons, while reducing the rolling resistance, and long-term use can reduce the cost of oil and electricity.

	SIZE	LOAD INDEX / SPEED CODE		STANDARD RIM	SINGLE LOAD [KG/LBS]	PRESSURE [KPA/PSI]
14	175/65R14	82	T	5J	475 / 1047	300/44
14	175/70R14	84	T	5J	500 / 1102	300/44
14	185/65R14	86	T	5.5J	530 / 1168	300/44
15	175/65R15	84	T	5J	500 / 1102	300/44
15	185/55R15	82	T	6J	475 / 1047	300/44
15	185/60R15	88	T	5.5J	560 / 1235	340/49
15	185/65R15	88	T	5.5J	560 / 1235	300/44
15	195/60R15	88	T	6J	560 / 1235	300/44
15	195/65R15	95	T	6J	690 / 1521	340/49
15	215/70R15	98	T	6.5J	750 / 1653	300/44
16	195/55R16	87	T	6J	545 / 1201	300/44
16	205/55R16	91	T	6.5J	615 / 1356	300/44
16	205/60R16	92	T	6J	630 / 1389	300/44
16	205/65R16	95	T	6J	690 / 1521	300/44
16	215/60R16	99	T	6.5J	775 / 1709	340/49

	SIZE	LOAD INDEX / SPEED CODE		STANDARD RIM	SINGLE LOAD [KG/LBS]	PRESSURE [KPA/PSI]
16	215/65R16	102	T	6.5J	850 / 1874	340/49
16	225/60R16	102	T	6.5J	850 / 1874	340/49
17	205/50R17	93	H	6.5J	650 / 1433	340/49
17	215/45R17	91	H	7J	615 / 1356	340/49
17	215/55R17	94	T	7J	670 / 1477	300/44
17	225/45R17	94	H	7.5J	670 / 1477	340/49
17	225/50R17	98	H	7J	750 / 1653	340/49
17	225/55R17	97	T	7J	730 / 1609	300/44
18	215/55R18	95	H	7J	690 / 1521	300/44
18	225/40R18	92	H	8J	630 / 1389	340/49
18	225/45R18	95	H	7.5J	690 / 1521	340/49
18	225/60R18	100	H	6.5J	800 / 1764	300/44
18	235/50R18	101	H	7.5J	825 / 1819	340/49
18	245/45R18	100	H	8J	800 / 1764	340/49

	SIZE	PR/LR	LOAD INDEX / SPEED CODE		STANDARD RIM	SINGLE LOAD [KG/LBS]	DUAL LOAD [KG/LBS]	PRESSURE [KPA/PSI]
16	LT225/75R16	10 / E	115/112	Q	6J	1215 / 2679	1120 / 2469	550/80
16	235/65R16C	10 / E	121/119	R	7J	1450 / 3197	1360 / 2998	575/83
16	LT245/75R16	10 / E	120/116	Q	7J	1380 / 3042	1260 / 2778	550/80
17	LT245/70R17	10 / E	119/116	Q	7J	1360 / 2998	1250 / 2756	550/80
17	LT245/75R17	10 / E	121/118	Q	7J	1450 / 3197	1320 / 2910	550/80
17	LT265/70R17	10 / E	121/118	Q	8J	1450 / 3197	1320 / 2910	550/80
18	LT275/65R18	10 / E	123/120	R	8J	1550 / 3417	1400 / 3086	550/80
18	LT275/70R18	10 / E	125/122	T	8J	1650 / 3638	1500 / 3307	550/80

WINTER MASTER S2

SUV

Studdable

ROLLING RESISTANCE

8

WET GRIP PERFORMANCE

10

QUIETNESS

8

COMFORT

8

TREAD LIFE

9

STUDDABLE

	SIZE	LOAD INDEX / SPEED CODE		STANDARD RIM	SINGLE LOAD (KG/LBS)	PRESSURE (KPA/PSI)
15	235/75R15	105	T	6.5J	925 / 2039	300/44
16	215/70R16	100	T	6.5J	800 / 1764	300/44
16	225/65R16	100	H	6.5J	800 / 1764	300/44
16	225/70R16	103	S	6.5J	875 / 1929	300/44
16	235/65R16	103	H	7J	875 / 1929	300/44
16	235/70R16	106	T	7J	950 / 2094	300/44
16	245/75R16	111	S	7J	1090 / 2403	300/44
17	215/60R17	96	T	6.5J	710 / 1565	300/44
17	215/65R17	99	T	6.5J	775 / 1709	300/44
17	225/60R17	103	T	6.5J	875 / 1929	340/49
17	225/65R17	102	T	6.5J	850 / 1874	300/44
17	235/55R17	103	H	7.5J	875 / 1929	340/49
17	235/60R17	106	H	7J	950 / 2094	340/49
17	235/65R17	108	T	7J	1000 / 2205	340/49
17	245/65R17	107	S	7J	975 / 2149	300/44
17	245/70R17	110	S	7J	1060 / 2337	300/44

	SIZE	LOAD INDEX / SPEED CODE		STANDARD RIM	SINGLE LOAD (KG/LBS)	PRESSURE (KPA/PSI)
17	265/65R17	116	H	8J	1250 / 2756	340/49
17	265/70R17	115	S	8J	1215 / 2679	300/44
18	225/55R18	98	H	7J	750 / 1653	300/44
18	235/55R18	104	H	7.5J	900 / 1984	340/49
18	235/60R18	107	H	7J	975 / 2149	340/49
18	235/65R18	110	H	7J	1060 / 2337	340/49
18	245/60R18	105	H	7J	925 / 2039	300/44
18	255/55R18	109	H	8J	1030 / 2271	340/49
18	255/70R18	113	H	7.5J	1150 / 2535	300/44
18	265/60R18	114	H	8J	1180 / 2601	340/49
18	275/65R18	116	T	8J	1250 / 2756	300/44
19	235/55R19	105	H	7.5J	925 / 2039	340/49
19	255/50R19	107	H	8J	975 / 2149	340/49
20	275/55R20	117	H	8.5J	1285 / 2833	340/49
20	275/60R20	115	S	8J	1215 / 2679	300/44

NOTES